

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)**End of Result Set**☐ [Generate Collection](#) [Print](#)

L10: Entry 2 of 2

File: DWPI

May 1, 2003

DERWENT-ACC-NO: 2002-373930

DERWENT-WEEK: 200331

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Identifying agents for treatment or prevention of cytomegalovirus infection, comprises contacting test compound with cellular kinase and detecting change in cellular kinase activity

INVENTOR: BEVEC, D; HABENBERGER, P ; [SCHUBART, D](#) ; STEIN-GERLACH, M

PRIORITY-DATA: 2000US-240750P (October 16, 2000), 2001US-0981397 (October 16, 2001)

[Search Selected](#)[Search ALL](#)[Clear](#)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> US 20030082519 A1	May 1, 2003		000	A61K039/395
<input type="checkbox"/> EP 1201765 A2	May 2, 2002	E	049	C12Q001/48

INT-CL (IPC): [A01 N 61/00](#); [A61 K 31/00](#); [A61 K 39/395](#); [A61 K 48/00](#); [A61 P 31/12](#); [C07 K 16/00](#); [C12 P 21/06](#); [C12 Q 1/48](#); [C12 Q 1/68](#); [C12 Q 1/70](#); [G01 N 33/53](#)

ABSTRACTED-PUB-NO: EP 1201765A

BASIC-ABSTRACT:

NOVELTY - Identifying compounds (A) for treating and/or preventing cytomegalovirus (CMV) infection and/or related diseases comprising contacting a test compound with at least one of the cellular kinases RICK, RIP, Nck-Interacting kinase, MKK3 and SRPK-2 (undefined) and detecting any change in kinase activity, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

(1) detecting CMV infection and/or related diseases by detecting activity of any of the specified kinases in a patient sample, cells or cell lysates;

(2) mono- or poly-clonal antibodies (Ab) that bind to any of the specified kinases;

(3) preventing and/or treating CMV infection or related diseases, or for regulating production of CMV in an individual or cells, by administering an inhibitor or activator of any of the specified kinases;

(4) oligonucleotides (ON) that bind to RNA or DNA encoding any of the specified kinases;

(5) regulating expression of any of the specified kinases by administering to an

individual, or cells, an inhibitor or activator of transcription of the relevant DNA or translation of the relevant RNA;

(6) solid support for detecting CMV infection in an individual or cell comprising at least one immobilized ON able to detect activity of any of the specified kinases; and

(7) solid support for screening (A) comprising one or more immobilized ON that encode any of the specified kinases or these kinases themselves.

ACTIVITY - Virucide. RICK was transiently overexpressed, as a fusion with a hemagglutinin (HA) tag, in human embryonic kidney 293 cells, then immunoprecipitated (anti-HA antibody and protein A-Sepharose). The beads were washed, then tested for kinase activity by incubation in a mixture containing gamma (33P)-adenosine triphosphate and various concentrations of 8-methyl-6-phenyl-2-(pyridin-4-ylamino)-8H-pyrido(2,3-d)pyrimidin-7-one (Aa). After 30 minutes at 30 deg. C, reaction was stopped and phosphorylation determined by electrophoresis and autoradiography. (Aa) has an inhibitory concentration (IC)50 for inhibition of RICK of 500 nM and for inhibition of CMV of 1.4 micro M.

MECHANISM OF ACTION - Modulation of cellular kinases that are specifically upregulated during CMV infection.

USE - (A) are used to treat and/or prevent CMV infections and related diseases. Oligonucleotides that can detect the specified kinases can also be used for diagnosis of infection.

ABSTRACTED-PUB-NO: EP 1201765A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/2

[Previous Doc](#)

[Next Doc](#)

[Go to Doc#](#)


WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Tuesday, July 06, 2004

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L10	schubart d.in.	2
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	schubart d.in.	0
<input type="checkbox"/>	L8	kinase RIP and CMV.clm.	1
<input type="checkbox"/>	L7	Rip kinase and CMV.clm.	0
<input type="checkbox"/>	L6	Rip kinases and CMV.clm.	0
<input type="checkbox"/>	L5	kinases and CMV.clm.	217
<input type="checkbox"/>	L4	kinases and CMV	5380
<input type="checkbox"/>	L3	L1 and virus	1
<input type="checkbox"/>	L2	L1 and cmv	0
<input type="checkbox"/>	L1	6558903.pn.	1

END OF SEARCH HISTORY



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Bo
Search PubMed for RIP Kinase Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Summary Show: 20 Sort Send to Text

Text Version

Items 1-20 of 164

Page 1 of 9 Next

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: [Yang Y, Ma J, Chen Y, Wu M.](#) Related Articles, Links



Nucleocytoplasmic shuttling of RIP3: Identification of novel nuclear export and import signals in RIP3.

J Biol Chem. 2004 Jun 18 [Epub ahead of print]
PMID: 15208320 [PubMed - as supplied by publisher]

☐ 2: [Hu WH, Mo XM, Walters WM, Brambilla R, Bethea JR.](#) Related Articles, Links



TNAP, a novel repressor of NF-kappa B-inducing kinase, suppresses NF-kappa B activation.

J Biol Chem. 2004 Jun 18 [Epub ahead of print]
PMID: 15208311 [PubMed - as supplied by publisher]

☐ 3: [Shen HM, Lin Y, Choksi S, Tran J, Jin T, Chang L, Karin M, Zhang J, Liu ZG.](#) Related Articles, Links



Essential roles of receptor-interacting protein and TRAF2 in oxidative stress-induced cell death.

Mol Cell Biol. 2004 Jul;24(13):5914-22.
PMID: 15199146 [PubMed - in process]

☐ 4: [Zha J, Zhou Q, Xu LG, Chen D, Li L, Zhai Z, Shu HB.](#) Related Articles, Links



RIP5 is a RIP-homologous inducer of cell death.

Biochem Biophys Res Commun. 2004 Jun 25;319(2):298-303.
PMID: 15178406 [PubMed - in process]

☐ 5: [Lee TH, Shank J, Cusson N, Kelliher MA.](#) Related Articles, Links



The kinase activity of Rip 1 is not required for TNF-alpha-induced Ikk or p38 MAP kinase activation or for the ubiquitination of Rip 1 by Traf 2.

J Biol Chem. 2004 Jun 1 [Epub ahead of print]
PMID: 15175328 [PubMed - as supplied by publisher]

☐ 6: [Kurenova E, Xu LH, Yang X, Baldwin AS Jr, Craven RJ, Hanks SK, Liu ZG, Cance WG.](#) Related Articles, Links



Focal adhesion kinase suppresses apoptosis by binding to the death domain of receptor-interacting protein.

Mol Cell Biol. 2004 May;24(10):4361-71.
PMID: 15121855 [PubMed - indexed for MEDLINE]

☐ 7: [Kilpatrick LE, Sun S, Korchak HM.](#) Related Articles, Links



Selective Regulation by {delta}-PKC and PI 3-kinase in the Assembly of the Anti-Apoptotic TNFR-1 Signaling Complex in Neutrophils.

Am J Physiol Cell Physiol. 2004 Apr 28 [Epub ahead of print]
PMID: 15115707 [PubMed - as supplied by publisher]

- ☐ **8:** [Meylan E, Burns K, Hofmann K, Blancheteau V, Martinon F, Kelliher M, Tschopp J.](#) [Related Articles, Links](#)
- ☐ **RIP1 is an essential mediator of Toll-like receptor 3-induced NF-kappa B activation.**
Nat Immunol. 2004 May;5(5):503-7. Epub 2004 Apr 04.
PMID: 15064760 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Muller T, Langner C, Fuchsbichler A, Heinz-Erian P, Ellemunter H, Schlenck B, Bavdekar AR, Pradhan AM, Pandit A, Muller-Hocker J, Melter M, Kobayashi K, Nagasaka H, Kikuta H, Muller W, Tanner MS, Sternlieb I, Zatloukal K, Denk H.](#) [Related Articles, Links](#)
- ☐ **Immunohistochemical analysis of Mallory bodies in Wilsonian and non-Wilsonian hepatic copper toxicosis.**
Hepatology. 2004 Apr;39(4):963-9.
PMID: 15057900 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Nho CW, O'Dwyer PJ.](#) [Related Articles, Links](#)
- ☐ **NF-kappaB activation by the chemopreventive dithiolethione oltipraz is exerted through stimulation of MEKK3 signaling.**
J Biol Chem. 2004 Jun 18;279(25):26019-27. Epub 2004 Mar 26.
PMID: 15047705 [PubMed - in process]
- ☐ **11:** [Omerovic J, Puggioni EM, Napoletano S, Visco V, Fraioli R, Frati L, Gulino A, Alimandi M.](#) [Related Articles, Links](#)
- ☐ **Ligand-regulated association of ErbB-4 to the transcriptional co-activator YAP65 controls transcription at the nuclear level.**
Exp Cell Res. 2004 Apr 1;294(2):469-79.
PMID: 15023535 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Zhang HG, Wang J, Yang X, Hsu HC, Mountz JD.](#) [Related Articles, Links](#)
- ☐ **Regulation of apoptosis proteins in cancer cells by ubiquitin.**
Oncogene. 2004 Mar 15;23(11):2009-15. Review.
PMID: 15021888 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Barcia RN, Valle NS, McLeod JD.](#) [Related Articles, Links](#)
- ☐ **Caspase involvement in RIP-associated CD95-induced T cell apoptosis.**
Cell Immunol. 2003 Dec;226(2):78-85.
PMID: 14962495 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Huang J, Teng L, Li L, Liu T, Li L, Chen D, Xu LG, Zhai Z, Shu HB.](#) [Related Articles, Links](#)
- ☐ **ZNF216 Is an A20-like and IkappaB kinase gamma-interacting inhibitor of NFkappaB activation.**
J Biol Chem. 2004 Apr 16;279(16):16847-53. Epub 2004 Jan 30.
PMID: 14754897 [PubMed - in process]
- ☐ **15:** [Newton K, Sun X, Dixit VM.](#) [Related Articles, Links](#)
- ☐ **Kinase RIP3 is dispensable for normal NF-kappa Bs, signaling by the B-cell and T-cell receptors, tumor necrosis factor receptor 1, and Toll-like receptors 2 and 4.**
Mol Cell Biol. 2004 Feb;24(4):1464-9.
PMID: 14749364 [PubMed - indexed for MEDLINE]
- ☐ **16:** [Han KJ, Su X, Xu LG, Bin LH, Zhang J, Shu HB.](#) [Related Articles, Links](#)

Mechanisms of the TRIF-induced interferon-stimulated response element

=> d 18 1-2

L8 ANSWER 1 OF 2 USPATFULL on STN
AN 2004:63787 USPATFULL
TI 14171 Protein kinase, a novel human protein kinase and uses thereof
IN Kapeller-Libermann, Rosana, Chestnut Hill, MA, UNITED STATES
PA Millennium Pharmaceuticals, Inc. (U.S. corporation)
PI US 2004048305 A1 20040311
AI US 2003-658904 A1 20030910 (10)
RLI Continuation-in-part of Ser. No. US 2001-781882, filed on 12 Feb 2001,
GRANTED, Pat. No. US 6630335
PRAI US 2000-182096P 20000211 (60)
DT Utility
FS APPLICATION
LN.CNT 5414
INCL INCLM: 435/006.000
INCLS: 435/069.100; 435/194.000; 435/320.100; 435/325.000; 536/023.200
NCL NCLM: 435/006.000
NCLS: 435/069.100; 435/194.000; 435/320.100; 435/325.000; 536/023.200
IC [7]
ICM: C12Q001-68
ICS: C07H021-04; C12N009-12
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L8 ANSWER 2 OF 2 USPATFULL on STN
AN 2003:120036 USPATFULL
TI Cellular kinases involved in **Cytomegalovirus** infection and
their inhibition
IN Schubart, Daniel, Weil am Rhein, GERMANY, FEDERAL REPUBLIC OF
Habenberger, Peter, Munchen, GERMANY, FEDERAL REPUBLIC OF
Stein-Gerlach, Matthias, Munchen, GERMANY, FEDERAL REPUBLIC OF
Bevec, Dorian, Germering, GERMANY, FEDERAL REPUBLIC OF
PI US 2003082519 A1 20030501
AI US 2001-981397 A1 20011016 (9)
PRAI US 2000-240750P 20001016 (60)
DT Utility
FS APPLICATION
LN.CNT 2300
INCL INCLM: 435/005.000
INCLS: 424/146.100; 514/001.000; 435/007.100; 435/069.100
NCL NCLM: 435/005.000
NCLS: 424/146.100; 514/001.000; 435/007.100; 435/069.100
IC [7]
ICM: A61K039-395
ICS: C12Q001-70; A61K031-00; A01N061-00; G01N033-53; C12P021-06
CAS INDEXING IS AVAILABLE FOR THIS PATENT.

d his

(FILE 'HOME' ENTERED AT 15:12:23 ON 06 JUL 2004)

FILE 'MEDLINE' ENTERED AT 15:12:29 ON 06 JUL 2004

L1 3 S RIP KINASE
L2 18 S KINASE RIP
L3 26525 S CYTOMEGALOVIRUS
L4 0 S L2 AND L3
L5 0 S L1 AND L3

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUASCI,
BIOBUSINESS, BIOCOMMERCE, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA,
CANCERLIT, CAPLUS, CEABA-VTB, CEN, CIN, CONFSCI, CROPB, CROPU, DISSABS,
DDFB, DDFU, DGENE, DRUGB, DRUGMONOG2, ...' ENTERED AT 15:13:44 ON 06 JUL
2004

SEA RIP KINASE AND CYTOMEGALOVIRUS

1 FILE CAPLUS
2 FILE USPATFULL

L6 QUE RIP KINASE AND CYTOMEGALOVIRUS

FILE 'CAPLUS' ENTERED AT 15:15:08 ON 06 JUL 2004

L7 1 S RIP KINASE AND CYTOMEGALOVIRUS

FILE 'USPATFULL' ENTERED AT 15:15:38 ON 06 JUL 2004

L8 2 S RIP KINASE AND CYTOMEGALOVIRUS